

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : GREEN'R INDUS  
Product code : 338  
Type of product : Detergent  
Product group : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Alkaline cleaner

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Christeyns Professional Hygiene UK Ltd  
Clover House  
Macclesfield Road  
SK23 7DQ Whaley Bridge, Derbyshire  
United Kingdom  
T 01663 733114, F 01663 733115  
[info.cph.uk@christeyns.com](mailto:info.cph.uk@christeyns.com), [www.christeyns-ph.co.uk](http://www.christeyns-ph.co.uk)

##### Supplier

Christeyns NV  
Afrikalaan 182  
9000 GENT  
Belgium  
T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44  
[info@christeyns.be](mailto:info@christeyns.be), [www.christeyns.com](http://www.christeyns.com)

#### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290  
Skin corrosion/irritation, Category 1 H314  
Serious eye damage/eye irritation, Category 1 H318  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Contains :

Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy- ; hexyl D-glucosid;  
potassium hydroxide

Hazard statements (CLP) :

H290 - May be corrosive to metals.  
H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) :

P102 - Keep out of reach of children.  
P234 - Keep only in original packaging.  
P280 - Wear protective clothing, eye protection, face protection, protective gloves.  
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
Immediately call a POISON CENTER or doctor.

# GREEN'R INDUS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor.  
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium p-cumenesulphonate	CAS-no: 15763-76-5 EC-No.: 239-854-6 REACH-no: 01-2119489411-37	5 – 10	Eye Irrit. 2, H319
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-no: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104-44	3 – 5	Eye Irrit. 2, H319
Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-	CAS-no: 160875-66-1	3 – 5	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Dam. 1, H318
Isotridecanol, ethoxylated	CAS-no: 69011-36-5 EC-No.: 500-241-6 REACH-no: 02-2119552461-55	3 – 5	Eye Irrit. 2, H319 Aquatic Chronic 3, H412
potassium hydroxide substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, PL, PT, SE, IS, NO, CH)	CAS-no: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136-33	3 – 5	Acute Tox. 4 (Oral), H302 (ATE=333 mg/kg bodyweight) Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290
hexyl D-glucosid	CAS-no: 54549-24-5 EC-No.: 259-217-6 REACH-no: 01-2119492545-29	$\geq 1 - < 3$	Eye Dam. 1, H318

### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
potassium hydroxide	CAS-no: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136-33	( $0.5 \leq C < 2$ ) Eye Irrit. 2; H319 ( $0.5 \leq C < 2$ ) Skin Irrit. 2; H315 ( $2 \leq C < 5$ ) Skin Corr. 1B; H314 ( $5 \leq C \leq 100$ ) Skin Corr. 1A; H314

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General advice

: In case of doubt or persistent symptoms, consult always a physician.

Inhalation

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin contact

: Take off contaminated clothing and wash it before reuse. Wash skin with plenty of water and soap.

# GREEN'R INDUS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion : Rinse mouth with water, do not induce vomiting, call a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Acute effects skin : Causes severe burns.

Acute effects eyes : Causes serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Foam. Water spray. Dry powder.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Combustion products may include the following: carbon oxides (CO, CO<sub>2</sub>) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO<sub>2</sub> etc.).

### 5.3. Advice for firefighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire fighting water from entering the environment.

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe vapours. Avoid contact with skin and eyes. Ventilate spillage area.

#### For emergency responders

Protective equipment : Use self-contained breathing apparatus and chemically protective clothing.

Emergency procedures : Stop leak if safe to do so. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth.

Methods for cleaning up : Clear up rapidly by scoop or vacuum. Flush residue with large amounts of water.

Other information : Dispose of in accordance with relevant local regulations.

### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Protect from sunlight. Store at ambient temperature.

Storage temperature : 5 – 40 °C

Material(s) to avoid : Strong acids.

Storage area : Store in a well-ventilated place.

### 7.3. Specific end use(s)

No additional information available

# GREEN'R INDUS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### National occupational exposure and biological limit values

<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	2-(2-Butoxyethoxy)ethanol
IOEL TWA	67.5 mg/m <sup>3</sup>
	10 ppm
IOEL STEL	101.2 mg/m <sup>3</sup>
	15 ppm
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
<b>Ireland - Occupational Exposure Limits</b>	
Local name	2-(2-Butoxyethoxy)ethanol
OEL TWA	67.5 mg/m <sup>3</sup>
	10 ppm
OEL STEL	101.2 mg/m <sup>3</sup>
	15 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	2-(2-Butoxyethoxy)ethanol
WEL TWA (OEL TWA)	67.5 mg/m <sup>3</sup>
	10 ppm
WEL STEL (OEL STEL)	101.2 mg/m <sup>3</sup>
	15 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>potassium hydroxide (1310-58-3)</b>	
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Potassium hydroxide
OEL STEL	2 mg/m <sup>3</sup>
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Potassium hydroxide
WEL STEL (OEL STEL)	2 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 8.2. Exposure controls

##### Personal protection equipment

##### Personal protective equipment:

Protective clothing. Protective goggles. Gloves.

##### Personal protective equipment symbol(s):



# GREEN'R INDUS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Eye and face protection

#### Eye protection:

Safety glasses. ISO 16321-1

### Skin protection

#### Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

### Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent). Time of penetration is to be checked with the glove producer. Nitrile rubber gloves

### Respiratory protection

#### Respiratory protection:

No personal breathing protective equipment is normally required. In case of inadequate ventilation wear respiratory protection. Breathing apparatus with combined vapor/particle filter (EN 141). Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Light yellow.
Physical state/form	: Liquid.
Odour	: Slight.
Odour threshold	: Not available
Melting point/range	: Not determined as it is not relevant for the characterization of the product
Freezing point	: Not determined as it is not relevant for the characterization of the product
Softening point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: Not determined as it is not relevant for the characterization of the product
Flammability	: Not determined as it is not relevant for the characterization of the product
Explosive properties	: Constituents do not contain chemical groups associated with explosivity.
Lower explosion limit	: Not determined as it is not relevant for the characterization of the product
Upper explosion limit	: Not determined as it is not relevant for the characterization of the product
Flash point	: Not determined as it is not relevant for the characterization of the product
Autoignition temperature	: Not determined as it is not relevant for the characterization of the product
Decomposition temperature	: Not determined as it is not relevant for the characterization of the product
pH	: 13 – 14
pH solution	: 11.3 (1 g/L)
Viscosity, kinematic	: Not available
Solubility	: Water: 100 %
Partition coefficient n-octanol/water (Log Kow)	: Not available
Log Pow	: Not determined as it is not relevant for the characterization of the product
Vapour pressure	: Without VOC (volatile organic compounds)
Vapour pressure at 50°C	: Not available
Density	: 1.095 g/cm <sup>3</sup>
Relative density	: 1.08 – 1.1
Relative vapour density at 20°C	: Without VOC (volatile organic compounds)
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

# GREEN'R INDUS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Nitrogen oxides.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

<b>Sodium p-cumenesulphonate (15763-76-5)</b>	
LD50 oral rat	≥ 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503
LD50 dermal rabbit	≥ 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat	> 5 mg/l 232 min
<b>Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy- (160875-66-1)</b>	
LD50 oral	500 mg/kg
<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
LD50 oral rat	5660 mg/kg
LD50 oral	5660 mg/kg bodyweight
LD50 dermal rabbit	2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 2090 - 3645
LD50 dermal	2764 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 196 mg/l
<b>Isotridecanol, ethoxylated (69011-36-5)</b>	
LD50 oral rat	> 2000 mg/kg
<b>potassium hydroxide (1310-58-3)</b>	
LD50 oral	333 mg/kg bodyweight
Skin corrosion/irritation	: Causes severe skin burns. pH: 13 – 14
<b>Isotridecanol, ethoxylated (69011-36-5)</b>	
pH	± 7
<b>potassium hydroxide (1310-58-3)</b>	
pH	14
Serious eye damage/irritation	: Causes serious eye damage. pH: 13 – 14
<b>Isotridecanol, ethoxylated (69011-36-5)</b>	
pH	± 7
<b>potassium hydroxide (1310-58-3)</b>	
pH	14
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
<b>Sodium p-cumenesulphonate (15763-76-5)</b>	
NOAEL (chronic, oral, animal/female, 2 years)	≥ 60 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Reproductive toxicity	: Not classified

# GREEN'R INDUS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Sodium p-cumenesulphonate (15763-76-5)</b>	
LOAEL (animal/male, F1)	1000 mg/kg bodyweight 24 hours
<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
NOAEL (animal/male, F0/P)	> 452 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:
NOAEL (animal/female, F0/P)	> 470 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
<b>Sodium p-cumenesulphonate (15763-76-5)</b>	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	< 200 mg/kg bodyweight Animal: rat, Guideline: other., Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard	: Not classified
<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
Viscosity, kinematic	6.794 mm <sup>2</sup> /s
<b>11.2. Information on other hazards</b> No additional information available	
<b>SECTION 12: Ecological information</b>	
<b>12.1. Toxicity</b>	
Ecology - general	: Not classified according 1272/2008/CE.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
<b>Sodium p-cumenesulphonate (15763-76-5)</b>	
LC50 - Fish [1]	≥ 1580 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 1020 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	≥ 758 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
LC50 - Fish [1]	1300 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 96h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 algae	> 100 mg/l Scenedesmus subspicatus
<b>Isotridecanol, ethoxylated (69011-36-5)</b>	
EC50 - Crustacea [1]	1 – 10 mg/l
<b>hexyl D-glucosid (54549-24-5)</b>	
LC50 - Fish [1]	≥ 100 mg/l

# GREEN'R INDUS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>potassium hydroxide (1310-58-3)</b>	
LC50 - Fish [1]	Western mosquitofish ( <i>Gambusia affinis</i> ) 80 mg/l. 96 hours

### 12.2. Persistence and degradability

<b>GREEN'R INDUS</b>	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

<b>Sodium p-cumenesulphonate (15763-76-5)</b>	
Biodegradation	> 60 % 28 days; OECD 301 B

<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
Persistence and degradability	Rapidly degradable
Biodegradation	89 – 93 % 28 days, OECD 301 C

<b>Isotridecanol, ethoxylated (69011-36-5)</b>	
Persistence and degradability	Rapidly degradable
Biodegradation	> 90 %

<b>hexyl D-glucosid (54549-24-5)</b>	
Persistence and degradability	Rapidly degradable

### 12.3. Bioaccumulative potential

<b>GREEN'R INDUS</b>	
Log Pow	Not determined as it is not relevant for the characterization of the product

<b>Sodium p-cumenesulphonate (15763-76-5)</b>	
Partition coefficient n-octanol/water (Log Kow)	0.07

<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
Log Pow	0.56

<b>hexyl D-glucosid (54549-24-5)</b>	
Log Pow	1.72 – 1.77

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods	: Dispose of this material and its container at hazardous or special waste collection point.
Product/Packaging disposal recommendations	: a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. Refer to manufacturer/supplier for information on recovery/recycling.
Waste / unused products	: Dispose of this material and its container at hazardous or special waste collection point.
European List of Waste (LoW, EC 2000/532)	: 20 01 29* - detergents containing dangerous substances
HP Code	: HP8 - "Corrosive:" waste which on application can cause skin corrosion.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

# GREEN'R INDUS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA
<b>14.1. UN number or ID number</b>		
UN 1814	UN 1814	UN 1814
<b>14.2. UN proper shipping name</b>		
POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	Potassium hydroxide solution
<b>Transport document description</b>		
UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II, (E)	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II	UN 1814 Potassium hydroxide solution, 8, II
<b>14.3. Transport hazard class(es)</b>		
8	8	8
		
<b>14.4. Packing group</b>		
II	II	II
<b>14.5. Environmental hazards</b>		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: C5
Limited quantities (ADR)	: 1I
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	: 

Tunnel code	: E
EAC code	: 2R

#### Transport by sea

Limited quantities (IMDG)	: 1 L
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02

#### Air transport

PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L

# GREEN'R INDUS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (IATA) : A3, A803

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

Other information, restriction and prohibition regulations : Not affected by the conditions of restriction \_ ANNEXE XVII.

#### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### Detergent Regulation (EC 648/2004)

#### Labelling of contents

Component	%
anionic surfactants, non-ionic surfactants	5-15%

#### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Other information : It is recommended to pass the information of this safety data sheet, eventually in an appropriated form, to the users. Such information is actually to be best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other product(s). EC Regulation 1272/2008 and its amendments.

#### Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

# GREEN'R INDUS

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Met. Corr. 1	H290	On basis of test data
Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	On basis of test data

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.